v2

Change Notification for the UK Blood Transfusion Services

No. 23 - 2024

Sexually Transmitted Disease

Please note this document supersedes CN 23-2024 (v1)

The original version should have indicated that the change to Discretionary guidance was applied to both the 'Infected Individual' <u>and</u> 'Sexual Partners' subsections of the entry.

This notification includes the following changes:

	BM-DSG	CB-DSG	GDRI	TD-DSG	TL-DSG	WB-DSG	Red Book
	Bone Marrow & Peripheral Blood Stem Cell	Cord Blood	Geographical Disease Risk Index	Tissue - Deceased Donors	Tissue - Live Donors	Whole Blood & Components	Guidelines for the BTS in the UK
1. Sexually Transmitted Disease							

Aluthe

Dr Akila Chandrasekar

Chair of Standing Advisory Committee on Tissues & Cellular Therapy Products (SACTCTP)

5000

Dr Stephen Thomas
Professional Director of JPAC

Changes are indicated using the key below. This formatting will not appear in the final entry.

original text «inserted text» deleted text

v2

1. Changes apply to the **Deceased Tissues DSG**

Sexually Transmitted Disease

(revised entry)

Discretionary	If fully treated, at least three months from completion of treatment, accept. Additionally, for gonorrhoea, evidence of a test of cure after treatment is required. This may be a verbal confirmation, provided by «the person answering the relevant Medical and Social History questions about» the donor «or someone with access to records of the donor's treatment».			
exual Partner				
Discretionary	a) Donor did not require treatment and it is more than three months since the infected partner has completed treatment, accept.			
	b) Donor required treatment: if fully treated, and if it is at least three months from completion of treatment, accept. Additionally, for gonorrhoea, evidence of a test of cure after treatment is required. This may be a verbal confirmation, provided by «the person answering the relevant Medical and Social History questions about» the donor «or someone with access to records of the donor's treatment».			
	c) If the donor's sexual partner has been diagnosed with chlamydia (except lymphogranuloma venereum, see (b) above), genital warts or genital herpes and the donor is asymptomatic and not undergoing treatment or investigation, accept.			
	Discretionary guidance updated to clarify verbal confirmation is not provided by the			